

| Ref # | Hits | Search Query  | DBs                | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--------------------|------------------|---------|------------------|
| L1    | 1705 | 709/225.ccls.   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 15:25 |
| L2    | 3474 | 709/223.ccls.   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 15:25 |
| L3    | 1598 | 709/226.ccls.   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 15:26 |
| L4    | 283  | 709/214.ccls.   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 15:26 |
| L5    | 218  | 709/215.ccls.   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 15:27 |
| L6    | 55   | configur\$6 near (storage adj<br>(resource requirement properties<br>property))   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 19:15 |
| L7    | 2    | ((configur\$6 chang\$6) near<br>(storage adj (resource<br>requirement properties property)))<br>with (storage adj domain) | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 17:50 |
| L8    | 2    | ((configur\$6) near (storage adj<br>(resource requirement properties<br>property))) same (storage adj<br>domain)          | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 17:50 |
| L11   | 57   | (manag\$6 with (storage adj<br>(resource))) with (san (storage adj<br>area adj network))                                  | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 19:15 |
| L12   | 8    | (manag\$6 near(storage adj<br>(resource))) with (san (storage adj<br>area adj network))                                   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 17:50 |
| L14   | 6    | (assign\$3 allocat\$3<br>map\$4)near(logical adj (volume))<br>near host   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 17:58 |
| L15   | 166  | (assign\$3 allocat\$3<br>map\$4)with(logical adj (volume))<br>with host   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 16:59 |
| L16   | 8    | (storage adj (resource<br>requirement properties property))<br>with (storage adj domain)                                  | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 18:00 |
| L17   | 0    | 15 and 11 and 6   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 15:52 |
| L18   | 0    | 15 and 11   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 15:52 |
| L19   | 5    | 15 and 6  | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 17:56 |
| L20   | 7    | 11 and 6  | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/01 18:00 |

|     |    |  |                 |    |    |                  |
|-----|----|--|-----------------|----|----|------------------|
| L21 | 22 | (storage adj (resource requirement properties property)) same (storage adj domain)       | US-PGPUB; USPAT | OR | ON | 2005/03/01 18:16 |
| L22 | 2  | 6 same (storage adj domain)  | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:56 |
| L23 | 4  | 6 and (storage adj domain)   | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:56 |
| L24 | 85 | 15 and (san (storage adj area adj network))  | US-PGPUB; USPAT | OR | ON | 2005/03/01 19:54 |
| L25 | 5  | 24 and 6   | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:48 |
| L26 | 1  | 24 and (storage adj domain)  | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:56 |
| L27 | 0  | 24 and 21  | US-PGPUB; USPAT | OR | ON | 2005/03/01 15:56 |
| L28 | 61 | (storage adj (resource requirement properties property)) and (storage adj domain)        | US-PGPUB; USPAT | OR | ON | 2005/03/01 19:15 |
| L29 | 0  | 24 and 28  | US-PGPUB; USPAT | OR | ON | 2005/03/01 15:59 |
| L30 | 4  | 6 and (storage adj domain)   | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:48 |
| L31 | 0  | ((configur\$6) near (resource requirement properties property)) with(storage adj domain) | US-PGPUB; USPAT | OR | ON | 2005/03/01 16:00 |
| L32 | 4  | ((configur\$6) with (resource requirement properties property)) with(storage adj domain) | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:55 |
| L33 | 1  | (resource requirement properties property) near(storage adj domain)                      | US-PGPUB; USPAT | OR | ON | 2005/03/01 16:42 |
| L34 | 0  | ((configur\$6) near (resource requirement properties property)) same(storage adj domain) | US-PGPUB; USPAT | OR | ON | 2005/03/01 16:01 |
| L35 | 6  | ((configur\$6) near (resource requirement properties property)) and(storage adj domain)  | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:54 |
| L36 | 4  | ((configur\$6) with (resource requirement properties property)) same(storage adj domain) | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:50 |
| L37 | 48 | ((configur\$6) with (resource requirement properties property)) and(storage adj domain)  | US-PGPUB; USPAT | OR | ON | 2005/03/01 18:58 |
| L38 | 3  | 24 and (manag\$6 with storage with requirement)  | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:50 |
| L39 | 9  | 24 and ((many multiple)with storage with requirement)                                    | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:46 |

|     |      |  |                    |    |    |                  |
|-----|------|--|--------------------|----|----|------------------|
| L40 | 2    | datacore.as.   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:27 |
| L41 | 2    | datacore adj software adj<br>corporation.as.   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:27 |
| L42 | 217  | (assign\$3 allocat\$3<br>map\$4)with(logical adj (volume))<br>with (host client node computer)                 | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:32 |
| L43 | 1816 | 711/5  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:42 |
| L44 | 2623 | 711/170  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:42 |
| L45 | 1037 | 711/171  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:42 |
| L46 | 1551 | 711/173  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:42 |
| L47 | 3    | ((configur\$6 chang\$6) near<br>(storage adj (resource<br>requirement properties property)))<br>with (domain)  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:44 |
| L48 | 42   | ((configur\$6 chang\$6) with<br>(storage with (resource<br>requirement properties property)))<br>with (domain) | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 18:58 |
| L49 | 63   | ( (storage adj(resource<br>requirement properties property)))<br>with (domain)                                 | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 19:16 |
| L50 | 182  | ( (storage adj(resource<br>requirement properties property)))<br>same (domain)                                 | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:47 |
| L51 | 0    | 24 and 49  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:47 |
| L52 | 0    | 24 and 50  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:47 |
| L53 | 0    | 43 and 49  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:48 |
| L54 | 4    | 44 and 49  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:43 |
| L56 | 0    | 45 and 49  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:48 |
| L57 | 0    | 46 and 49  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:48 |
| L58 | 0    | 1 and 49   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:48 |
| L59 | 3    | 2 and 49   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:43 |
| L60 | 4    | 3 and 49   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:28 |

|     |    |  |                    |    |    |                  |
|-----|----|--|--------------------|----|----|------------------|
| L61 | 0  | 4 and 49   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:48 |
| L62 | 2  | 5 and 49   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:27 |
| L64 | 4  | 15 and 49  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:27 |
| L65 | 3  | 11 and 49  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:26 |
| L66 | 6  | (storage adj domain) with<br>control\$4 with (san (storage adj<br>area adj network))   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:26 |
| L67 | 4  | (storage adj domain) with<br>configur\$6 with (resource<br>requirement properties property)  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:24 |
| L68 | 7  | (storage adj domain) with<br>(chang\$7 configur\$6 )with<br>(resource requirement properties<br>property)  | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:25 |
| L69 | 4  | (storage adj domain) near<br>(chang\$7 configur\$6 )   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 16:57 |
| L70 | 4  | (assign\$3 allocat\$3<br>map\$4)with(logical adj (volume))<br>with host with (storage adj<br>domain)   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:24 |
| L71 | 1  | (assign\$3 allocat\$3<br>map\$4)with(logical adj (volume))<br>with host with (storage adj<br>(property resource requirement))                            | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:04 |
| L72 | 4  | (assign\$3 allocat\$3<br>map\$4)with(logical adj (volume))<br>with (host computer node client)<br>with (storage adj domain)                              | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:24 |
| L73 | 1  | (assign\$3 allocat\$3<br>map\$4)with(logical adj (volume))<br>with host with (storage adj<br>(properties resource requirement))                          | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:04 |
| L74 | 4  | ((assign\$3 allocat\$3<br>map\$4)with(logical adj (volume))<br>with (host computer node client))<br>same(storage adj domain)                             | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 17:34 |
| L75 | 15 | ((assign\$3 allocat\$3<br>map\$4)with(logical adj (volume))<br>with (host computer node client))<br>and (storage adj domain)                             | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 18:20 |
| L76 | 15 | (logical adj (volume)) and (storage<br>adj domain) and (san (storage adj<br>area adj network)) and (storage<br>adj (resource requirement<br>management)) | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 18:20 |

|     |     |   |                 |    |    |                  |
|-----|-----|---|-----------------|----|----|------------------|
| L77 | 23  | ((assign\$3 allocat\$3 map\$4)with(logical adj (volume)) with (host computer node client)) with((integrity)(performance)(availability)(I/O (input/output))(bandwidth)(storage adj capacity))      | US-PGPUB; USPAT | OR | ON | 2005/03/01 18:20 |
| L78 | 74  | ((assign\$3 allocat\$3 map\$4)with(logical adj (volume)) ) with((integrity)(performance)(availability)(I/O (input/output))(bandwidth)(storage adj capacity))                                      | US-PGPUB; USPAT | OR | ON | 2005/03/01 19:16 |
| L79 | 438 | ((assign\$3 allocat\$3 map\$4 provision\$3)with((logical adj (volume)) )(storage adj resource)) with((integrity)(performance)(availability)(I/O (input/output))(bandwidth)(storage adj capacity)) | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:38 |
| L80 | 32  | 78 and (san (storage adj area adj network))   | US-PGPUB; USPAT | OR | ON | 2005/03/01 18:59 |
| L81 | 226 | 79 and (san (storage adj area adj network))   | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:39 |
| L82 | 0   | 81 and 43   | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:39 |
| L83 | 14  | 81 and 44   | US-PGPUB; USPAT | OR | ON | 2005/03/01 18:20 |
| L84 | 0   | 81 and 45   | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:39 |
| L85 | 0   | 81 and 46   | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:39 |
| L86 | 14  | 81 and 1  | US-PGPUB; USPAT | OR | ON | 2005/03/01 18:04 |
| L87 | 20  | 81 and 2  | US-PGPUB; USPAT | OR | ON | 2005/03/01 18:21 |
| L88 | 21  | 81 and 3  | US-PGPUB; USPAT | OR | ON | 2005/03/01 18:20 |
| L89 | 2   | 81 and 4  | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:41 |
| L90 | 2   | 81 and 5  | US-PGPUB; USPAT | OR | ON | 2005/03/01 17:40 |
| L91 | 33  | 24 and domain   | US-PGPUB; USPAT | OR | ON | 2005/03/01 19:54 |

|     |    |   |                    |    |    |                  |
|-----|----|---|--------------------|----|----|------------------|
| L92 | 12 | ("6622163" "6073209" "6606690"<br>"6148349" "6571354" "6640278"<br>"6742034" "6260120"<br>"20020103889" "6513101"<br>"20040044843" "20040044851").<br>pn. | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 19:57 |
| L94 | 4  | 92 and domain   | US-PGPUB;<br>USPAT | OR | ON | 2005/03/01 20:05 |